

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.


1. (Currently amended): A methacrylic resin composition comprising a methacrylic resin composition (C) obtained by polymerizing a methacrylate polymer (A) in the presence of acrylic crosslinked elastic particles (B),

the methacrylate polymer (A) being obtained by ~~polymerizing~~ copolymerizing a monomer mixture (a) including 50 to 100 wt% of alkyl methacrylate and 0 to 50 wt% of alkyl acrylate,

the acrylic crosslinked elastic ~~[[particle]]~~ particles (B) being obtained by copolymerizing a monomer mixture (b) including 50 to 100 wt% of alkyl acrylate and 50 to 0 wt% of alkyl methacrylate, and a polyfunctional monomer including two or more non-conjugated double bonds per a molecule,

wherein 0.01 to 30 parts by weight based on 100 parts by weight of the methacrylic resin composition (C) of an ultraviolet absorber represented by the general formula (1) is copolymerized with said copolymerizing monomer mixture (b) and said monomer mixture (a),
~~relative to 100 parts by weight of the methacrylic resin composition (C),~~

~~{Chemical Formula 1}~~



General Formula (1)

(where X is H or halogen; R₁ is H, methyl, or a t-alkyl group having 4 to 6 carbons; R₂ is a linear or a branched alkylene group having 2 to 10 carbons; and R₃ is H or methyl).

2. (Currently amended): The methacrylic resin composition (C) in accordance with claim 1, wherein

the methacrylic resin composition (C) is a two-layer structure polymer of the acrylic crosslinked elastic particles (B), and the methacrylate polymer (A),

an average particle size of the methacrylic resin composition (C) is more than 100 nm and 400 nm or less, and

the acrylic crosslinked elastic particle (B) content is 5 to 45 wt% based on the entire methacrylic resin composition (C).

3. (Previously presented): A film formed with the methacrylic resin composition (C) in accordance with claim 1.

4. (Original): A laminate in which the film in accordance with claim 3 is laminated.

5. (Original): The laminate in accordance with claim 4, produced by an injection molding.

6. (Currently amended): A methacrylic resin film for being laminated on a molded article comprising a polyvinyl chloride resin composition containing a plasticizer,


said methacrylic resin film comprising a methacrylic resin composition (C) being obtained by polymerizing a methacrylate polymer (A) in the presence of acrylic crosslinked elastic particles (B),

the methacrylate polymer (A) being obtained by polymerizing a monomer mixture (a) including 50 to 100 wt% of alkyl methacrylate and 0 to 50 wt% of alkyl acrylate, and

the acrylic crosslinked elastic particles (B) being obtained by copolymerizing a monomer mixture (b) including 50 to 100 wt% of alkyl acrylate and 50 to 0 wt% of alkyl methacrylate, and a polyfunctional monomer including two or more non-conjugated double bonds per a molecule,

wherein 0.01 to 30 parts by weight based on 100 parts by weight of the methacrylic resin composition (C) of an ultraviolet absorber represented by the general formula (1) is copolymerized with said copolymerizing monomer mixture (b) and said monomer mixture (a),
~~relative to 100 parts by weight of the methacrylic resin composition (C),~~

~~{Chemical Formula 2}~~



General Formula (1)

(where X is H or halogen; R₁ is H, methyl, or a t-alkyl group having 4 to 6 carbons; R₂ is a linear or branched alkylene group having 2 to 10 carbons; and R₃ is H or methyl.)

7. (Currently amended): The methacrylic resin film for being laminated on a molded article comprising a polyvinyl chloride resin composition containing a plasticizer in accordance with claim 6,

wherein the methacrylic resin composition (C) is a two-layer structure polymer of the acrylic crosslinked elastic particles (B), and the methacrylate polymer (A),

an average particle size of the methacrylic resin composition (C) is more than 100 nm and 400 nm or less, and

the acrylic crosslinked elastic particle (B) content is 5 to 45 wt% based on the entire methacrylic resin composition (C).

8. (Cancelled).

9. (Previously presented): A vinyl chloride laminate comprising the ~~in which a~~ methacrylic resin film for being laminated on a molded article comprising a polyvinyl chloride

Application No.: 10/594,976

Amendment under 37 C.F.R. §1.111

Attorney Docket No.: 062653

resin composition containing a plasticizer in accordance with claim 6 ~~[[is]]~~ laminated on a
molded article comprising a polyvinyl chloride resin composition containing a plasticizer.